HERBONT GB25











ASTRACT OF 25





Track

Tracked vehicle with 8 wheels
Track width of the carriage of 1000 mm
Grease track tensioning
Rubber tracks

Frame

4-point attachment system for the machine lifting Hitch system to lift the machine on the roll-bar Roll-bar with high visibility led headlights Flashing LED

Underbody cladding to protect engine and systems Quick front attachment system for changing tools.

Heat engine

2 cylinder gasoline engine Briggs & Stratton
Power 12 Kw - 23 HP
Cilinder capacity 627 cc
Max torque 44 Nm @ 3000 rpm
Rated voltage 12 Vcc
Maximum continuous inclination 55°, discontinuous 40°
Elecrtic cleaning system for cooling radiators
17 Litre fuel tank

Hydraulic system

Orbital motors for forward movement
Locking tracks system
Closed-circuit piston motor on tool head
Variable-capacity closed-circuit piston pumps
Gear pump for services
Electro-hydraulic distributor for services
Electro-hydraulic distributor for tool head function
Cooling circuit with reversible fan
Hydraulic oil tank 22 I

Controls

0-6 km-h forward/back speed
Forward movement speed control potentiometer variable from 0 to 100%
Potentiometer to correct forward movement direction (offset) in sloping work
Cable connection for radio control in case of emergency

Audible and visual alarm system for:

Radio control with graphic display

Slope overcoming System overheating Engine oil pressure Low hydraulic oil level

Driving control reverse

Weight

(basic version without equipment) 520 kg

Accessories

R-Eye system (optional) for remote monitoring of maintenance area.

Custom color

TSUL 100 shredder head

Working width 1000 mm Motion transmission by multi-groove track Support roller and side skids height adjustment Interchangeable cutting rotor suitable with all available Hymach models
Floating system to follow the soil profile

HERBHY 30 can be equipped with additional compatible tools.

In fact, HERBHY is a multipurpose unit. Many tools are already available; others are being designed, all aimed at facilitating the work in the sector of services such as landscaping and winter maintenance, as well as in forestry maintenance, agriculture, viticulture, olive growing, cattle breeding, civil and environmental protection.

HYMACH S.R.L. Viale del Commercio, 73 45039 Stienta (RO) Italia

Tel. 0425 746242 Fax 0425 746251 infocom@hymach.it

Uff. commerciale/sales dep.: tel. 0425 746075 sales@hymach.it

Uff. export/export dep.: tel. 0425 747839 export@hymach.it





www.hymach.it

